



# oneTouch automatic changeover

## Automated Guide Rail Adjustment



Single Sided Guide rail adjustment



Overhead Box Conveyor



Overhead Box Conveyor



Overhead Box Conveyor with ASTRRA *flex*Rails



Single sided to double sided adjustment

<http://www.astro.com>



Double sided adjustment



Double sided adjustment Radius with *flexRail*



## Automated Guide Rail Adjustment



Double sided adjustment Radius with *flexRail*




Double sided adjustment in rejection and inspection with 180 degree Radius with *flexRail*

<http://www.astrra.com>



Double sided adjustment with rail stiffener to allow for large spans between actuators



Canister Chute with Side and Top Guide rail adjustment

## Automated Cap Inverter



Cap range changes form 20mm - 70mm in width and height.

Other ranges are available.

<http://www.astrra.com>

## Automated Rotary Adjustment



Timing screw adjustment with rotary

## SixPack Actuator Control Module



SixPack with six individual 100mm 2G actuators



## Model ranges

Rev	RPM	Torque	Shaft
50	143	1kgf	6mm
100	156	5kgf	8mm
100	143	35kgf	8mm
100	471	12kgf	12mm
100	705	23kgf	12mm
100	26	230kgf	12mm
100	39	342kgf	12mm





# oneTouch automatic changeover



Guide rail changeover with timing screw adjustment

<http://www.astrra.com>